

# StanleyBlack&Decker

## MATERIAL SAFETY DATA SHEET

### SECTION I: IDENTIFICATION

Manufacturer: Black & Decker Accessories      Hazard:      Health:      1  
701 East Joppa Rd.      Rating:      Flammability      0  
Baltimore, MD 21286           Reactivity      0  
(410) 716-3900 (Emergency)

Product Name: Resinoid Bonded Cutting Off and Grinding Wheels  
Product Type: Metal (ferrous)

### SECTION II: COMPOSITION PER 20CFR 1910.1200(G)(4)

	<u>Chemical Name</u>	<u>Max%</u>	<u>Common Name</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Carcinogenic Y/N</u>
1)	Aluminum oxide	90	Same	1344-28-1	10mg/m <sup>3</sup>	10mg/m <sup>3</sup>	No
2)	Cured Phenolic resin	20	Same	NAIF*	NAIF*	10mg/m <sup>3</sup>	No
3)	Sodium aluminum fluoride	20	Cryolite	15096-52-3	2.5mg/m <sup>3</sup>	2.5mg/m <sup>3</sup>	No
4)	Iron disulfide	20	Iron Pyrites	12068-85-8	NAIF*	NAIF*	No
5)	Fiberglass discs	15	Same		NAIF*	10mg/m <sup>3</sup>	No
6)	Calcium fluoride	20	Fluorspar	14542-23-5	5.3mg/m <sup>3</sup>	5.3mg/m <sup>3</sup>	No
7)	Furfural	3	Same	98-01-1	5ppm	2ppm	No

### SECTION III: HAZARDS IDENTIFICATION

#### Primary Routes Of Entry

#### Acute and Chronic Health Effects and Effects of Overexposure

Inhalation  
(during grinding)

Acute: Coughing, shortness of breath  
Chronic: May affect breathing capacity  
May affect pre-existing respiratory condition(s)

Ingestion  
(during grinding)

No known adverse effects, but ingestion  
not recommended

Skin, Contact &  
Absorption  
(during grinding)

Some may experience skin irritation from  
dust

Eye (during grinding)

Dust may irritate eyes

Other Potential Risks  
(during grinding)

Grinding may create elevated sound levels  
which may affect hearing and pre-existing  
hearing condition(s).

## **SECTION IV: HEALTH, FIRST AID AND MEDICAL DATA**

### **Primary Routes Of Entry**

Inhalation  
(during grinding)

Ingestion  
(during grinding)

Skin, Contact &  
Absorption  
(during grinding)

Eye (during grinding)

Other Potential Risks  
(during grinding)

### **First Aid and Medical Information**

Remove to fresh air  
Artificial respiration as needed  
Obtain medical assistance

Obtain medical assistance

Wash affected areas with soap  
and water. Obtain medical  
assistance

Wash with large quantities of  
Water. Obtain medical  
assistance.

Obtain medical assistance

## **SECTION V: FIRE AND EXPLOSION HAZARD DATA**

Flash Point:

N/A\*\*, NAIF\*

Method Used: N/A\*\*

Flammable Limits:

LEL: NA\*\*

UEL: NA\*\*

Extinguishing Media:

Water

Special Fire Fighting Procedures:

None

Explosion Potential:

NAIF\*

## **SECTION VI: MEASURES ACCIDENTAL RELEASE**

This product is stable and does not involve any risk of contamination. Make sure the product is properly disposed

## **SECTION VII: STORAGE, HANDLING AND USE PROCEDURES**

Normal Storage and Handling:	Handle abrasive cutting off wheels and grinding wheels carefully to prevent damage from shock, heat, etc. Store in dry protected area free from humidity, freezing temperatures or extreme temperature changes. Consult ANSI B.1: Safety Requirements for the Use, Care, and Protection of Abrasive Wheels.
Normal Use:	Use with adequate ventilation. See OSHA 29CFR 1910.94 (Ventilation) and 29CFR 1910.1000 (Air Contaminants). Use all abrasive cutting off wheels and grinding wheels in accordance with all applicable federal and state safety codes and as directed in ANSI B7.1: Safety Requirements for the Use, Care, and Protection of Abrasive Wheels
Steps to be taken in case of leaks and spills:	Normal cleanup procedures

## **SECTION VIII: PERSONAL PROTECTION INFORMATION**

Respiratory Protection:	As required, for approved dust respirators see OSHA 29CFR 1910.134
Ventilation:	Local: Recommended Mechanical: Recommended Other: NAIF*
Protective Gloves:	Recommended, as desired by user
Eye Protection:	Recommended, see OSHA 1910 29CFR 1910.133 (Eye protection)
Other Equipment:	As required hearing protection, see OSHA 29CFR 1910.95 (Hearing protection)

## **SECTION IX: PHYSICAL DATA**

Boiling Point (°F):	N/A**	Specific Gravity (H <sub>2</sub> O=1):	Varies
Vapor Pressure (mm Hg):	N/A**	% Volatile by Volume:	0
Vapor Density (Air=1):	N/A**	Evaporation Rate:	N/A**
Water Solubility:	Negligible	Solubility in Other Solvents:	NAIF*
Appearance:	Solid wheel shape with black, dark brown or reddish color.		
Odor:	May give off slight odor during storage and/or use.		

## **SECTION X: STABILITY AND REACTIVITY**

Under normal conditions:	Stable
In the presence of flames:	Stable
Polymerization risk:	None
Conditions to avoid:	None
Incompatible materials:	None
Products of decomposition or Combustion:	The freed produced during thermal decomposition are toxic and may include oxides of carbon and irritating gases. In use, the grinding wheel will generate dust and odors. In most cases, the material removed from the work piece will be significantly greater than that generated from the grinding wheel. Coolants, if used, may produce other decomposition products.

## **SECTION XI: TOXICOLOGICAL INFORMATION**

This product is considered a consumer product / finished product. No data is available regarding ingestion or other contact with the body toxicological level.

\*See Section III on risk identification for more information in case of normal use

## **SECTION XII: ECOLOGICAL INFORMATION**

Ecotoxicity: The product is inert and presents no direct risk for aquatic and terrestrial life.  
Products with listed fluorides may have slightly soluble fluoride in the swarf

Environment: The product is not biodegradable. The product should be disposed properly.

## **SECTION XIII: DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: Standard landfill methods in compliance with all applicable federal, state and local laws, products with listed fluorides may have slightly soluble fluoride in the swarf.

## **SECTION XIV: TRANSPORT INFORMATION**

This product is not regulated for transport

## **SECTION XV: REGULATORY INFORMATION**

No special regulations for this product

## **SECTION XVI: OTHER INFORMATION**

### REFERENCES

1. ANSI/OPEI B175.4
2. ISO 525
3. ISO 6103
4. ISO 13942

Disclaimer: The information presented in this MSDS was obtained from sources which are believed to be reliable. However, the information is provided without any representation or warranty, expressed or implied, regarding accuracy or correctness. The conditions or methods of storage, handling, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons we do not assume responsibility for loss, damage, or expense arising out of or in any way connected with the storage, handling, use or disposal of this product.

Prepared: September 9, 2015  
NAIF\*: No applicable information found  
NA\*\*: No applicable information found