

Safety Data Sheet**Firestone Building Products Company****Section 1: Identification of the Substance/Mixture and of the Company/Undertaking****1.1 Product identifier****Product Name** • Lap Sealant HS**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified use(s)** • Construction**1.3 Details of the supplier of the safety data sheet****Manufacturer** • Firestone Building Products Company250 West 96th Street
Indianapolis, IN 46260
United States

firestonemsds@bfldp.com

Telephone (General) • 800-428-4442**1.4 Emergency telephone number****Manufacturer** • (800) 424-9300 - CHEMTRAC**Manufacturer** • (703) 527-3887 - CHEMTRAC - International**Section 2: Hazards Identification****EU/EEC**

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture**CLP**

- Skin Irritation 2 - H315
Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336
Carcinogenicity 1A - H350

DSD/DPD

- Irritant (Xi)
Carcinogenic Substances - Category 1
R37/38, R45, R67

2.2 Label Elements**CLP****DANGER**

- Hazard statements** • H315 - Causes skin irritation
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness
H350 - May cause cancer.

Precautionary statements

- Prevention**
- P201 - Obtain special instructions before use.
 - P202 - Do not handle until all safety precautions have been read and understood.
 - P261 - Avoid breathing dust.
 - P264 - Wash thoroughly after handling.
 - P271 - Use only outdoors or in a well-ventilated area.
 - P280 - Wear protective gloves .
 - P281 - Use personal protective equipment as required.
- Response**
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 - P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
 - P321 - Specific treatment, see supplemental first aid information.
 - P362 - Take off contaminated clothing and wash before reuse.
 - P332+P313 - If skin irritation occurs: Get medical advice/attention.
 - P308+P313 - IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal**
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases**
- R37/38 - Irritating to respiratory system and skin.
 - R45 - May cause cancer.
 - R67 - Vapours may cause drowsiness and dizziness.

- Safety phrases**
- S53 - Avoid exposure - obtain special instructions before use.

2.3 Other Hazards

CLP

- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

- According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture


OSHA HCS 2012

- Skin Irritation 2
- Eye Irritation 2
- Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
- Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
- Carcinogenicity 1A

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- Causes skin irritation
 - Causes serious eye irritation
 - May cause respiratory irritation
 - May cause drowsiness or dizziness
 - May cause cancer.

Precautionary statements

- Prevention** • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
If on skin: Wash with plenty of water.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash before reuse.
If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal** • Store in a well-ventilated place. Keep container tightly closed.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Other Toxic Effects - D2A
Other Toxic Effects - D2B

2.2 Label elements

WHMIS



- Other Toxic Effects - D2A
Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance.

3.2 Mixtures

| Composition | | | | | |
|--|--|-------------|---|---|---|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive | Comments |
| Limestone | CAS: 1317-65-3 EC Number: 215-279-6 | 50% TO 100% | NDA | EU DSD/DPD: Xn, R48/20 EU CLP: STOT RE 2 (Lung, Inhl), H373 OSHA HCS 2012: STOT RE 2 (Lung, Inhl) | NDA |
| Light aliphatic solvent naphtha | CAS: 64742-89-8 EC Number: 265-192-2 EU Index: 649-267-00-0 | 5% TO 20% | NDA | EU DSD/DPD: Annex VI, Table 3.2: Xn R65, R67; Xi, R38; N; R51/53 EU CLP: Annex VI, Table 3.1: Skin Irrit. 2, H315; Asp. Tox. 1, H304; STOT SE 3: Narc., H336; Aquatic Chronic 2, H411; Flam. Liq. 3, H226 OSHA HCS 2012: Flam. Liq. 2; Eye Irrit. 2; Skin Irrit. 2; Asp. Tox. 1; STOT SE: Narc. & Resp. Irrit. | NDA |
| Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | CAS: 64742-52-5 EC Number: 265-155-0 EU Index: 649-465-00-7 | 2.5% TO 10% | Ingestion/Oral-Rat LD50 • >5000 mg/kg Skin-Rabbit LD50 • >2000 mg/kg | EU DSD/DPD: Annex VI, Table 3.2: Carc. Cat. 2, R45 EU CLP: Annex VI, Table 3.1: Carc. 1B, H350 OSHA HCS 2012: Skin Irrit. 2 | Contains less than 3% DMSO. Carcinogen classification not applicable. |
| Quaternary ammonium compounds, bis (hydrogenated tallow alkyl)dimethyl-, salt with bentonite | CAS: 68953-58-2 EC Number: 273-219-4 | <= 2.5% | NDA | EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified | NDA |
| Carbon Black | CAS: 1333-86-4 EC Number: 215-609-9 | <= 2.5% | Ingestion/Oral-Rat LD50 • >15400 mg/kg Skin-Rabbit LD50 • >3 g/kg | EU DSD/DPD: T, R48/23; Carc. Cat. 3, R40 EU CLP: Carc. 2, H351; STOT RE 1, H372 OSHA HCS 2012: Carc. 2; STOT RE 1 (Lungs, Inhl); Comb. Dust | NDA |
| Stearic acid | CAS: 57-11-4 EC Number: 200-313-4 | <= 1% | Skin-Rabbit LD50 • >5 g/kg Ingestion/Oral-Rat LD50 • 4600 mg/kg | EU DSD/DPD: Xi, R38 EU CLP: Skin Irrit. 2, H315 OSHA HCS 2012: Skin Irrit. 2 | NDA |
| Calcium oxide | CAS: 1305-78-8 EC Number: 215-138-9 | <= 1% | NDA | EU DSD/DPD: Xi; R41; C; R34 EU CLP: Skin Corr. 1C, H314; Eye Dam. 1, H318 OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1 | NDA |
| Quartz | CAS: 14808-60-7 EC Number: 238-878-4 | <= 0.5% | NDA | EU DSD/DPD: Carc. Cat. 1, T, R45, R48/23 EU CLP: Carc. 1A, H350i; STOT RE 1, H372 (Lungs, Inhl) OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs, Inhl) | NDA |

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial

respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention if artificial oxygen is administered.

Skin

- IF ON SKIN: Wash with plenty of soap and water. Remove and isolate contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed**Notes to Physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures**5.1 Extinguishing media**

Suitable Extinguishing Media • CO₂, extinguishing powder or water spray. Fight larger fires with water spray.

Unsuitable Extinguishing Media • No data available.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Containers may explode when heated.

Hazardous Combustion Products • No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear positive pressure self-contained breathing apparatus (SCBA).
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Section 6 - Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal Precautions • Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures • Stay upwind. Keep out of low areas. Keep unauthorized personnel away.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Stop leak if you can do it without risk.
Carefully shovel or sweep up spilled material and place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Wear appropriate personal protective equipment. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Keep container closed when not in use. Store in a cool location away from direct heat. Keep away from incompatible materials.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Limits/Guidelines | | | | | | |
|------------------------------|--------|--|---|---|--|--|
| | Result | ACGIH | Canada Alberta | Canada British Columbia | Canada Manitoba | Canada New Brunswick |
| Quartz (14808-60-7) | TWAs | 0.025 mg/m ³ TWA (respirable fraction) | 0.025 mg/m ³ TWA (respirable particulate) | 0.025 mg/m ³ TWA (respirable) | 0.025 mg/m ³ TWA (respirable fraction) | 0.1 mg/m ³ TWA (respirable fraction) |
| Calcium oxide (1305-78-8) | TWAs | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA |
| Carbon Black (1333-86-4) | TWAs | 3 mg/m ³ TWA (inhalable fraction) | 3.5 mg/m ³ TWA | 3 mg/m ³ TWA (inhalable) | 3 mg/m ³ TWA (inhalable fraction) | 3.5 mg/m ³ TWA |
| Limestone (1317-65-3) | TWAs | Not established | 10 mg/m ³ TWA | 10 mg/m ³ TWA (total dust); 3 mg/m ³ TWA (respirable fraction) | Not established | 10 mg/m ³ TWA (particulate matter containing no Asbestos and <1% Crystalline silica) |
| | STELs | Not established | Not established | 20 mg/m ³ STEL (total dust) | Not established | Not established |

Exposure Limits/Guidelines (Con't.)

| | Result | Canada Northwest Territories | Canada Nova Scotia | Canada Nunavut | Canada Ontario | Canada Quebec |
|------------------------------|--------|--|--|--|--|--|
| Quartz (14808-60-7) | TWAs | 0.1 mg/m ³ TWA (respirable mass); 0.3 mg/m ³ TWA (total mass) | 0.025 mg/m ³ TWA (respirable fraction) | 0.1 mg/m ³ TWA (respirable mass); 0.3 mg/m ³ TWA (total mass) | 0.10 mg/m ³ TWA (designated substances regulation, respirable, listed under Silica, crystalline) | 0.1 mg/m ³ TWAEV (respirable dust) |
| Calcium oxide (1305-78-8) | STELs | 4 mg/m ³ STEL | Not established | 4 mg/m ³ STEL | Not established | Not established |
| | TWAs | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWAEV |
| Carbon Black (1333-86-4) | STELs | 7 mg/m ³ STEL | Not established | 7 mg/m ³ STEL | Not established | Not established |
| | TWAs | 3.5 mg/m ³ TWA (inhalable fraction) | 3 mg/m ³ TWA (inhalable) | 3.5 mg/m ³ TWA (inhalable) | 3 mg/m ³ TWA (inhalable) | 3.5 mg/m ³ TWAEV |
| Limestone (1317-65-3) | TWAs | 5 mg/m ³ TWA (respirable mass); 10 mg/m ³ TWA (total) | Not established | 5 mg/m ³ TWA (respirable mass); 10 mg/m ³ TWA (total) | Not established | 10 mg/m ³ TWAEV (Limestone, containing no Asbestos and <1% |

| | | mass) | | mass) | | Crystalline silica, total dust) |
|--|--------|---|---|---|--|---------------------------------|
| Exposure Limits/Guidelines (Con't.) | | | | | | |
| | Result | Canada Saskatchewan | Canada Yukon | NIOSH | OSHA | |
| Quartz (14808-60-7) | TWAs | 0.05 mg/m ³ TWA (respirable fraction, listed under Silica - crystalline) | 300 particle/mL TWA (listed under Silica) | 0.05 mg/m ³ TWA (respirable dust) | Not established | |
| Calcium oxide (1305-78-8) | TWAs | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 2 mg/m ³ TWA | 5 mg/m ³ TWA | |
| | STELs | Not established | 4 mg/m ³ STEL | Not established | Not established | |
| Carbon Black (1333-86-4) | TWAs | 3.5 mg/m ³ TWA | 3.5 mg/m ³ TWA | 3.5 mg/m ³ TWA; 0.1 mg/m ³ TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons, as PAH) | 3.5 mg/m ³ TWA | |
| | STELs | Not established | 7 mg/m ³ STEL | Not established | Not established | |
| Limestone (1317-65-3) | TWAs | 10 mg/m ³ TWA | 30 mppcf TWA; 10 mg/m ³ TWA | 10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust) | 15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction) | |
| | STELs | Not established | 20 mg/m ³ STEL | Not established | Not established | |

Exposure Control Notations

Canada Ontario

- Quartz (14808-60-7): **Designated Substances:** (0.10 mg/m³ TWA (respirable fraction, listed under Silica, crystalline))

Canada Quebec

- Quartz (14808-60-7): **Carcinogens:** (C2 carcinogen - effect suspected in humans)

ACGIH

- Carbon Black (1333-86-4): **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans)
- Quartz (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

Exposure Limits Supplemental

OSHA

- Quartz (14808-60-7): **Mineral Dusts:** ((30)/(%SiO₂ + 2) mg/m³ TWA, total dust; (250)/(%SiO₂ + 5) mppcf TWA, respirable fraction; (10)/(%SiO₂ + 2) mg/m³ TWA, respirable fraction)

ACGIH

- Carbon Black (1333-86-4): **TLV Basis - Critical Effects:** (bronchitis)
- Calcium oxide (1305-78-8): **TLV Basis - Critical Effects:** (upper respiratory tract irritation)
- Quartz (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

8.2 Exposure controls

Engineering Measures/Controls

- This material is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear protective eyewear (goggles, face shield, or safety glasses).

Skin/Body

- Wear appropriate gloves.

Environmental Exposure

- In case of spills, keep product clear of sewers, waterways or land areas. Dispose of

Controls

waste product in accordance with national and local laws and regulations.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene
 NIOSH = National Institute of Occupational Safety and Health
 OSHA = Occupational Safety and Health Administration
 STEL = Short Term Exposure Limits are based on 15-minute exposures

TLV = Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)
 TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures
 TWAEV = Time-Weighted Average Exposure Value

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description

| | | | |
|----------------|----------------|------------------------|--------------------------------------|
| Physical Form | Liquid (Paste) | Appearance/Description | Black paste with a petrol-like odor. |
| Color | Black | Odor | Petrol-like |
| Odor Threshold | Data lacking | | |

General Properties

| | | | |
|-----------------------------------|--------------|------------------------------|--|
| Boiling Point | Data lacking | Melting Point/Freezing Point | Data lacking |
| Decomposition Temperature | Data lacking | pH | Data lacking |
| Specific Gravity/Relative Density | Data lacking | Bulk Density | 1.35 g/cm³ |
| Water Solubility | Insoluble | Viscosity | > 20.5 Centistoke (cSt, cS) or mm²/sec |
| Explosive Properties | Data lacking | Oxidizing Properties: | Data lacking |

Volatility

| | | | |
|------------------|-----------------------------|---------------|-----------|
| Vapor Pressure | 45 mmHg (torr) @ 20 C(68 F) | Vapor Density | 3.8 Air=1 |
| Evaporation Rate | 9.2 n-Butyl Acetate = 1 | VOC (Vol.) | < 250 g/L |

Flammability

| | | | |
|---------------------------|---------------|--------------|--------------|
| Flash Point | 83 C(181.4 F) | UEL | 6.7 % |
| LEL | 0.9 % | Autoignition | Data lacking |
| Flammability (solid, gas) | Data lacking | | |

Environmental

| | | | |
|-------------------------------------|--------------|--|--|
| Octanol/Water Partition coefficient | Data lacking | | |
|-------------------------------------|--------------|--|--|

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat.

10.5 Incompatible materials

- Oxidizing agents.

10.6 Hazardous decomposition products

- None known.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

| Components | | |
|--|------------|---|
| Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) (2.5% TO 10%) | 64742-52-5 | Irritation: Skin-Rabbit • 500 mg • Severe irritation |
| Carbon Black (<= 2.5%) | 1333-86-4 | Acute Toxicity: Ingestion/Oral-Rat LD50 • >15400 mg/kg; Behavioral: Somnolence (general depressed activity); Skin-Rabbit LD50 • >3 g/kg; Mutagen: DNA adduct • Inhalation-Mouse • 6200 µg/m³ 16 Hour(s) 12 Week(s)-Intermittent; DNA damage • Inhalation-Rat • 50 g/L 13 Week(s); DNA damage • Inhalation-Rat • 50 µg/L 13 Week(s)-Intermittent; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 11600 µg/m³ 18 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors |
| Stearic acid (<= 1%) | 57-11-4 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 4600 mg/kg; Skin-Rabbit LD50 • >5 g/kg; Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Mutagen: DNA damage • Unreported Route-Human • Liver (Somatic cell) • 10 mg/L 20 Hour(s); Tumorigen / Carcinogen: Implant-Mouse TDLo • 400 mg/kg; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Kidney, Ureter, and Bladder:Tumors |
| Quartz (<= 0.5%) | 14808-60-7 | Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea; Inhalation-Rat TCLo • 200 mg/kg; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe; Intratracheal-Mouse TDLo • 80 mg/kg; Lungs, Thorax, or Respiration:Fibrosis (interstitial); Immunological Including Allergic:Increase in cellular immune response; Biochemical:Metabolism (intermediary):Effect on inflammation or mediation of inflammation; Multi-dose Toxicity: Inhalation-Hamster TCLo • 3 mg/m³ 6 Hour(s) 78 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung weight; Inhalation-Rat TCLo • 6.2 mg/m³ 6 Hour(s) 6 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Other changes; Blood: Changes in spleen; Immunological Including Allergic:Increase in cellular immune response; Mutagen: Micronucleus test • Unreported Route-Hamster • Lung (Somatic cell) • 160 µg/cm³; DNA damage • Unreported Route-Human • Other Cell Type • 120 mg/L 24 Hour(s); Micronucleus test • Unreported Route-Human • Lung (Somatic cell) • 40 µg/cm³; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s) 71 Week(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors |

| GHS Properties | Classification |
|--------------------------------------|---|
| Respiratory sensitization | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |
| Serious eye damage/Irritation | EU/CLP • Data lacking OSHA HCS 2012 • Eye Irritation 2 |
| Acute toxicity | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |

| | |
|----------------------------------|---|
| Aspiration Hazard | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |
| Carcinogenicity | EU/CLP • Carcinogenicity 1A OSHA HCS 2012 • Carcinogenicity 1A |
| Skin corrosion/Irritation | EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2 |
| Skin sensitization | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |
| STOT-RE | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |
| STOT-SE | EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation |
| Toxicity for Reproduction | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |
| Germ Cell Mutagenicity | EU/CLP • Data lacking OSHA HCS 2012 • Data lacking |

Potential Health Effects

Inhalation

- Acute (Immediate)** • May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

- Chronic (Delayed)** • No data available.

Skin

- Acute (Immediate)** • Causes skin irritation.

- Chronic (Delayed)** • No data available.

Eye

- Acute (Immediate)** • Causes serious eye irritation.

- Chronic (Delayed)** • No data available.

Ingestion

- Acute (Immediate)** • Ingestion of this product unlikely.

- Chronic (Delayed)** • No data available.

Carcinogenic Effects

- Crystalline Silica (Quartz, Cristobalite) is listed by IARC and NTP. Long term exposure to high levels of silica dust, which can occur only when sanding or abrading the dry film, may cause lung damage (silicosis) and possibly cancer.

Carcinogenic Effects

| | CAS | IARC | NTP |
|--------------|------------|------------------------------|------------------------|
| Quartz | 14808-60-7 | Group 1-Carcinogenic | Known Human Carcinogen |
| Carbon Black | 1333-86-4 | Group 2B-Possible Carcinogen | Not Listed |

Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted by the manufacturer.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

- | | |
|------------------------|---|
| Product waste | • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. |
| Packaging waste | • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. |

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|----------------|------------------------------|---------------------------------|--------------------|----------------------------|
| DOT | NDA | Not Regulated | NDA | NDA | NDA |
| TDG | NDA | Not Regulated | NDA | NDA | NDA |
| IMO/IMDG | NDA | Not Regulated | NDA | NDA | NDA |
| ADN | NDA | Not Regulated | NDA | NDA | NDA |
| ADR/RID | NDA | Not Regulated | NDA | NDA | NDA |
| IATA/ICAO | NDA | Not Regulated | NDA | NDA | NDA |

- 14.6 Special precautions for user** • None specified.

- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** • Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- SARA Hazard Classifications** • Acute, Chronic

State Right To Know

| Component | CAS | MA | NJ | PA |
|---|------------|-----------|-----------|-----------|
| Calcium oxide | 1305-78-8 | Yes | Yes | Yes |
| Carbon Black | 1333-86-4 | Yes | Yes | Yes |
| Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | No | No | No |
| Light aliphatic solvent naphtha | 64742-89-8 | No | No | No |
| Limestone | 1317-65-3 | Yes | Yes | Yes |
| Quartz | 14808-60-7 | Yes | Yes | Yes |
| Quaternary ammonium compounds, bis (hydrogenated tallow alkyl) dimethyl-, salt with bentonite | 68953-58-2 | No | No | No |
| Stearic acid | 57-11-4 | No | No | No |

Inventory

| Component | CAS | Canada DSL | Canada NDSL | EU EINECS | EU ELNICS | TSCA |
|---|------------|-------------------|--------------------|------------------|------------------|-------------|
| Calcium oxide | 1305-78-8 | Yes | No | Yes | No | Yes |
| Carbon Black | 1333-86-4 | Yes | No | Yes | Yes | Yes |
| Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Yes | No | Yes | No | Yes |
| Light aliphatic solvent naphtha | 64742-89-8 | Yes | No | Yes | No | Yes |
| Limestone | 1317-65-3 | No | Yes | Yes | No | Yes |
| Quartz | 14808-60-7 | Yes | No | Yes | No | Yes |
| Quaternary ammonium compounds, bis (hydrogenated tallow alkyl) dimethyl-, salt with bentonite | 68953-58-2 | Yes | No | Yes | No | Yes |
| Stearic acid | 57-11-4 | Yes | No | Yes | No | Yes |

Canada

Labor

Canada - WHMIS - Classifications of Substances

- Stearic acid
- Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)

57-11-4
64742-52-5
Uncontrolled product according to WHMIS classification criteria
Not Listed

| | | |
|---|------------|--|
| • Calcium oxide | 1305-78-8 | E D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Carbon Black, non-respirable on Health Canada's WHMIS Division website.) |
| • Carbon Black | 1333-86-4 | D2A B2 Not Listed |
| • Limestone | 1317-65-3 | D2A |
| • Light aliphatic solvent naphtha | 64742-89-8 | B2 |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | |
| • Quartz | 14808-60-7 | D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.) |

Canada - WHMIS - Ingredient Disclosure List

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | 1 % |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | 1 % |
| • Carbon Black | 1333-86-4 | 1 % |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | 1 % |

Environment**Canada - CEPA - Priority Substances List**

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

Denmark**Environment****Denmark - List of Undesirable Substances - Product Groups/Function**

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |

| | | |
|----------|------------|------------|
| • Quartz | 14808-60-7 | Not Listed |
|----------|------------|------------|

Europe**Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

| | | |
|---|------------|---|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Carc.Cat.2; R45 |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65 |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

| | | |
|---|------------|----------------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | T R:45 S:53-45 |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | T R:45-46-65 S:53-45 |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | L |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | P |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

| | | |
|--|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | S:53-45 |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |

| | | |
|---|------------|------------|
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | S:53-45 |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - OSHA - Specifically Regulated Chemicals

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

| | | |
|---|------------|---|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | carcinogen, initial date 2/21/03 (airborne, unbound particles of respirable size) |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | carcinogen, initial date 10/1/88 (airborne particles of respirable size) |

U.S. - California - Proposition 65 - Developmental Toxicity

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

| | | |
|--|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |

| | | |
|---|------------|------------|
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

United States - Pennsylvania**Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

| | | |
|---|------------|------------|
| • Stearic acid | 57-11-4 | Not Listed |
| • Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) | 64742-52-5 | Not Listed |
| • Calcium oxide | 1305-78-8 | Not Listed |
| • Carbon Black | 1333-86-4 | Not Listed |
| • Limestone | 1317-65-3 | Not Listed |
| • Light aliphatic solvent naphtha | 64742-89-8 | Not Listed |
| • Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl-, salt with bentonite | 68953-58-2 | Not Listed |
| • Quartz | 14808-60-7 | Not Listed |

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information**Relevant Phrases (code & full text)**

- H226 - Flammable liquid and vapour
- H304 - May be fatal if swallowed and enters airways

H314 - Causes severe skin burns and eye damage.
H318 - Causes serious eye damage
H350i - May cause cancer by inhalation.
H351 - Suspected of causing cancer.
H372 - Causes damage to organs through prolonged or repeated exposure.
H373 - May cause damage to organs through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects

R34 - Causes burns.
R38 - Irritating to skin.
R40 - Limited evidence of a carcinogenic effect.
R41 - Risk of serious damage to eyes.
R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.
R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 - Harmful: may cause lung damage if swallowed.

Revision Date • 28/October/2015
Preparation Date • 17/July/2008
Disclaimer/Statement of Liability • The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No Data Available
