# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

#### **SECTION 1: Identification**

Material name: Tap Magic PROTAP Liquid

**Product code:** 30004P, 30016P, 30128P, 30640P, 33840P, 37040 **Recommended use of the product and restriction on use:** 

Machining, Cutting, Tapping, and Metal Processing.

#### Manufacturer or supplier details

#### Manufacturer:

The Steco Corporation 2330 Cantrell Road Little Rock, AR 72202 1-501-375-5644 steco@tapmagic.com

# **Emergency telephone number:**

ChemTel Inc.

North America: 1-800-255-3924 International: 1-813-248-0585

#### SECTION 2: Hazard(s) identification

#### **GHS** classification:

Eye irritation, category 2A. Skin sensitization, category 1.

#### **Label elements**

#### **Hazard pictograms:**



Signal word: Warning

#### **Hazard statements:**

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

#### **Precautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with soap and water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

#### **SECTION 3: Composition/information on ingredients**

Identification	Name	Wt. %
<b>CAS number:</b> 463-40-1	Linolenic acid	0.75-0.8
<b>CAS number:</b> 373-49-9	(Z)-hexadec-9-enoic acid	5.1-5.52
<b>CAS number:</b> 112-62-9	Methyl oleate	7.6-9.12

#### **SECTION 4: First-aid measures**

#### **Description of first aid measures**

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position.

Maintain an unobstructed airway.

Get medical advice/attention if you feel unwell.

#### After skin contact:

Rinse affected area with soap and water.

If symptoms develop or persist, seek medical attention.

# After eye contact:

Remove contact lenses, if present and easy to do so.

Continue rinsing for 15-20 minutes.

Get medical advice if eye irritation persists.

### After swallowing:

Rinse mouth thoroughly.

Seek medical attention if irritation, discomfort, or vomiting persists.

# Most important symptoms and effects, both acute and delayed

# Acute symptoms:

No information available.

#### **Delayed symptoms:**

No information available.

#### Immediate medical attention and special treatment:

No information available.

## **SECTION 5: Fire-fighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media:

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

#### Unsuitable extinguishing media:

No information available.

#### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors.

#### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

#### **Additional information:**

None

# **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Ensure air handling systems are operational.

Wear protective eye wear, gloves and clothing.

#### **Environmental precautions:**

Should not be released into the environment.

Prevent from reaching drains, sewer or waterway.

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders).

Dispose of contents / container in accordance with local regulations.

#### Reference to other sections:

None

# **SECTION 7: Handling and storage**

## Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

# Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

#### **SECTION 8: Exposure controls/personal protection**

#### Components with workplace control parameters:

#### Appropriate engineering controls:

### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### Eye protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **General hygienic measures:**

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

#### **SECTION 9: Physical and chemical properties**

Appearance (physical state, color):	Yellow Liquid	Explosion limit lower: Explosion limit upper:	Not determined or not available. Not determined or not available.
Odor:	Pleasant	Vapor pressure:	16 mm at 55°C
Odor threshold:	Not determined or not available.	Vapor density:	Not determined or not available.
pH-value:	Not determined or not available.	Relative density:	0.89 at 23°C
Melting/Freezing point:	Not determined or not available.	Solubilities:	Not determined or not available.
Boiling point/range:	Not determined or not available.	Partition coefficient (noctanol/water):	Not determined or not available.
Flash point (closed cup):	190°C	Auto/Self-ignition temperature:	Not determined or not available.
Evaporation rate:	Not determined or not available.	Decomposition temperature:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.	Dynamic viscosity:	39 cSt at 40°C
Density:	Not determined or not available.	Kinematic viscosity:	Not determined or not available.

#### **SECTION 10: Stability and reactivity**

#### Reactivity:

### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

Does not react under normal conditions of use and storage.

#### **Chemical stability:**

Stable under normal conditions of use and storage.

#### Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### **Conditions to avoid:**

None known.

#### **Incompatible materials:**

None known.

#### Hazardous decomposition products:

None known.

### **SECTION 11: Toxicological information**

#### **Exposure routes:**

No information available.

#### **Acute toxicity:**

No information available.

#### Skin corrosion/irritation:

(Z)-hexadec-9-enoic acid: Irritating to the skin.

# Serious eye damage/irritation:

(Z)-hexadec-9-enoic acid: Irritating effect on the eyes.

Methyl oleate: May cause mild irritation.

# Respiratory or skin sensitization:

Linolenic acid: May cause an allergic skin reaction.

#### **Carcinogenicity:**

#### IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### NTP (National Toxicology Program):

None of the ingredients are listed.

### Germ cell mutagenicity:

No information available.

#### Reproductive toxicity:

No information available.

#### STOT-single and repeated exposure:

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

(Z)-hexadec-9-enoic acid: Component affects the respiratory system.

#### Aspiration toxicity:

No information available.

#### **Additional toxicological information**

No information available.

# **SECTION 12: Ecological information**

#### **Ecotoxicity:**

No information available.

#### Persistence and degradability:

No information available.

# **Bioaccumulative potential:**

No information available.

#### Mobility in soil:

No information available.

#### Other adverse effects:

No information available.

### **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

### **SECTION 14: Transportation information**

#### Land transport:

#### DOT (49 CFR) transport

UN Number:	Not Regulated	
UN Proper shipping name:	Not Regulated	
UN Transport hazard classes:		
Packing group:	None	
Danger label:	None	
Environmental hazards:	None	
Special precautions for user:	None	

### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

#### Air transport:

#### **IATA-DGR**

UN Number:	Not Regulated	
UN Proper shipping name:	Not Regulated	
UN Transport hazard classes:		
Packing group:	None	
Danger label:	None	
Environmental hazards:	None	
Special precautions for user:	None	

### Sea transport:

#### **IMDG**

Not Regulated
None
IARPOL73/78 and the IBC Code: Not applicable

# SECTION 15: Regulatory information

#### **North American**

### SARA Section 311/312 (Specific toxic chemical listings):

Acute

# **SARA Section 302 (Extremely hazardous substances):**

None of the ingredients are listed.

# SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

# **TSCA (Toxic Substances Control Act):**

373-49-9 (Z)-hexadec-9-enoic acid: not listed.

### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.26.2017

### **Tap Magic PROTAP Liquid**

463-40-1 Linolenic acid: listed. 112-62-9 Methyl oleate: listed.

#### **TSCA Rules and Orders:**

Not applicable.

# Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

#### **DSL (Canadian Domestic Substances List):**

373-49-9 (Z)-hexadec-9-enoic acid: not listed.

463-40-1 Linolenic acid: listed. 112-62-9 Methyl oleate: listed.

### **SECTION 16: Other information**

#### **Abbreviations and Acronyms: None**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 1-0-0 **HMIS:** 1-0-0

Initial preparation date: 01.26.2017